



SPORTS LIGHTING

Sports lighting poles are our tapered medium duty base plate mounted range, hot dip galvanized after fabrication. These poles are generally used for sporting ovals and larger venues that require lighting for sport & recreation. Headframes are designed to specifically ensure the lights can be mounted and aimed to achieve the lighting design. Poles are supplied with one or more access doors with fixed internal trays for mounting electrical terminations and/or luminaire tray mounted control gear. Standard pole heights are 12.0m – 40.0m depending on your requirements (larger poles can be custom designed). Every product supplied by GM Poles is designed and certified by an Australian Registered Engineer.




Tapered Medium Duty



Our tapered medium duty base plate mounted range are generally used for sporting ovals and larger venues that require lighting for sport & recreation. Headframes are designed to specifically ensure the lights can be mounted and aimed to achieve the lighting design. Poles are supplied with one or more access doors with fixed internal trays for mounting electrical terminations and/or luminaire tray mounted control gear. Standard pole heights are 12m – 20m depending on customer's requirements (larger poles can be custom designed). Every product supplied by GM Poles is designed and certified by an Australian Registered Engineer.

GM Poles also offers:

- Foundation Cages/Bolts
- Engineer certified foundation design
- Soil Testing
- Installation of footing
- Erection of pole



| | C | D | E | F | EK | FK | GK |
|-----------------|---|----|----|----|----|----|----|
| STRENGTH | [Strength diagram showing increasing strength from C to GK] | | | | | | |
| MIN HT | 12 | 12 | 12 | 18 | 20 | 20 | 20 |
| MAX HT | 20 | 20 | 30 | 30 | 30 | 30 | 30 |




Tapered Heavy Duty

Our tapered heavy duty base plate mounted range are generally used for sporting stadiums, race courses, large fields or mining and industrial sites. Headframes are designed to specifically ensure the lights can be mounted and aimed to achieve the lighting design. Pole heights are generally 25m – 40m depending on customer's requirements (larger poles can be custom designed). Every product supplied by GM Poles is designed and certified by an Australian Registered Engineer.

GM Poles also offers:

- Foundation Cages/Bolts
- Engineer certified foundation design
- Soil Testing
- Installation of footing
- Erection of pole



| | E | F | G | H | EK | FK | GK |
|-----------------|----|----|----|----|----|----|----|
| STRENGTH | | | | | | | |
| MIN HT | 25 | 25 | 25 | 25 | 22 | 22 | 22 |
| MAX HT | 30 | 30 | 30 | 30 | 35 | 35 | 35 |

